QMS - Quality in Microbiology PT Scheme
MC4971 - Testing Center GLOBAL TEST
Individual Report

Round: 234

Issue Number 1

Issued 05 November 2015



Science
for a safer world

LGC | 1 Chamberhall Business Park | Chamberhall Green | Bury | Lancashire | BL9 0AP | UK |
+44(0)161 762 2500 | ptcustomerservices@LGCGroup.com | www.lgcstandards.com

UKAS
PROFICIENCY TESTING
0001

Sample Details

Samples were despatched on 05 October 2015
The reporting deadline was 30 October 2015

The following samples were distributed in QMS Round 234:

Sample	Matrix	Contents
06F	25g oatmeal	*Salmonella* Panama
07D	25g skimmed milk powder	*Listeria monocytogenes*
10F	10g oatmeal	*Clostridium perfringens*
11F	10g oatmeal	*Bacillus cereus* *Bacillus smithii*
13F	25g oatmeal	*Vibrio parahaemolyticus*
14D	25g skimmed milk powder	*Yersinia enterocolitica* *Raoultella planticola*
15D	10g skimmed milk powder	*Clostridium perfringens*
16D	10g skimmed milk powder	*Staphylococcus cohnii* *Escherichia coli*
16F	10g oatmeal	*Staphylococcus cohnii* *Escherichia coli*
17F	10g oatmeal	*Staphylococcus aureus* *Bacillus cereus*
20D	10g skimmed milk powder	*Escherichia coli*
23D	10g skimmed milk powder	*Aspergillus brasiliensis* *Pichia fermentans*
26D	10g skimmed milk powder	*Pseudomonas aeruginosa*

Further information regarding assigned values, performance assessment and technical comments can be found under the individual sample and analyte results.

Individual Report

This individual report contains a summary of all the results submitted and the performance assessments for your laboratory and your individual analysts. Please note that nominated laboratory results are represented by a blue highlight in the analyst box.

Data statistics given in the individual report are for the method you have used for each analyte. Further detail can be obtained from the main report.

Full details of the scheme, sample types, analytes and data analysis can be found in the corresponding Main Report, along with any technical comments, if applicable. The Main Report is the definitive version.

If you have any questions regarding your results which are not answered in the Main Report, please contact us using the details on the front of the report. If you would like to order any samples for re-test, please contact our customer service department or your local office.

Results Summary

Sample	Results Reported	Satisfactory Results	Questionable Results	Unsatisfactory Results	Not Assessed^
07D - Listeria (P/A)	2	2	0	0	0
Round Total	**2**	**2**	**0**	**0**	**0**

^ Results which are Not Assessed should be reviewed by comparing them with the assigned value and other relevant statistics given in the main report. Participants, according to their internal quality criteria, may consider Not Assessed results to be satisfactory, questionable or unsatisfactory. Further information regarding why results may not be assessed is given in the Scheme Information section of the main report.

Please note surplus PT samples are available as QC materials once the round has closed. These samples can be purchased at a reduced rate if you have taken this sample during the main round.

No unsatisfactory results in this round

No questionable results in this round

07D - Listeria (P/A)

Analyte	Test	Analyst	Method	Result	Assigned Value	No of results	Satisfactory %
Listeria species	Result	Lab Result	Fraser + ALOA 37	Detected	Detected	105	98.1
Listeria monocytogenes	Result	Lab Result	Fraser + ALOA 37	Detected	Detected	146	93.8

** Please note, participant performance for this analyte has been assessed using a z' score, rather than a z score, in order to account for the measurement uncertainty of the assigned value which is not negligible when compared to the SDPA.